No.

8400077

THE MAINED SHAMES OF WALESTON

TO ALL TO WHOM THESE PRESENTS SHALL COME;

CR Seeds

Tothereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT
UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OF ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF Eighteen

YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE RECUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC, REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, BE IMPORTING IT, OR EXPORTING IT, OR SUBJECT IN PRODUCING A HYBRID OR DIFFERENT

ETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT.

E UNITED STATES SEED OF THIS VARIETY (1) SHALL BE SOLD BY VARIETY NAME ONLY AS

OF CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS
BY THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'Coker 425'

In Lestimony Whereof, I have hereunto set my hand and caused the seal of the Plant Bariety Protection Office to be affixed at the City of washington this 31st day of May in the year of our Lord one thousand nine hundred and eighty-five.

Secretary of Agriculture

Steas:

Lenst He

Commissioner

Commissioner Plant Variety Protection Office Agricultural Marketina Service

XAAXXAX

| U.S. DEPARTMEN AGRICULTURAL N | AARKETING SERV | //CE | FO | RM APPROVED: OMB NO.0581-005 | | |
|--|---|---|--------------------|--|--|--|
| LIVESTOCK, MEAT, O | GRAIN & SEED DI | VISION | · i | No certificate for plant variety protection | | |
| APPLICATION FOR PLANT VAR | IETY PROTE | CTION CERTIFICATE | may | be issued unless a completed appli in form has been received (5 U.S.C | | |
| 1. NAME OF APPLICANT(S) | | 2. TEMPORARY DESIGNATION | \rightarrow | /ARIETY:NAME | | |
| CR Seeds | | 700 5 | | 0.1 /0" | | |
| | | 79R-5 | | Coker 425 | | |
| 4. ADDRESS (Street and No. or R.F.D. No., City, St. | ate, and Zip Code) | 5. PHONE [Include area code] | PVP | FOR OFFICIAL USE ONLY O NUMBER | | |
| | | 8151 pgs | | 8400077 | | |
| P.O. Box 1867 Hartsville, S. GENUS AND SPECIES NAME | .C. 29550 | 803-332- 7531 * | | | | |
| 6. GENUS AND SPECIES NAME | 7. FAMILY NAM | ME (Botanical) | g | DATE | | |
| Glycine max | Legumin | ngae | FILING | TIME 4/5/84 | | |
| | Legamin | | | 12:30 . A.M. X P.M. | | |
| 8. KIND NAME | 9. | DATE OF DETERMINATION | 1 | AMOUNT FOR FILING | | |
| | | • | 9 | <u>s _ 1,800</u> | | |
| Soybean | | April 1983 | ECEIVED | DATE 4/5/84 | | |
| 10. IF THE APPLICANT NAMED IS NOT A "PERSO | | | 3 E | AMOUNT FOR CERTIFICATE | | |
| partnership, association, etc.) | Artistant | | ES | s 200.00 | | |
| | | | H. H. | DATE | | |
| Partnership | | | | 4/23/85 | | |
| 11. IF INCORPORATED, GIVE STATE OF INCORP | ORATION | | 12, 0 | DATE OF INCORPORATION | | |
| CR Seeds P.O. Box 1329 West Memphis, AR 72301 | STANTON | | | | | |
| 14. CHECK APPROPRIATE BOX FOR EACH ATTAC | CULTATE OF TOTAL | | | | | |
| Exhibit A, Origin and Breeding History of the Section 52 of the Plant Variety Protection Acts. Exhibit B, Novelty Statement | c Variety <i>(See</i> ct.) | c. Exhibit C, Objective I from Plant Variety Pro | otection | | | |
| 5. DOES THE APPLICANT(S) SPECIFY THAT SEE | O OF THIS VARIE | TY BE SOLD BY VARIETY NAM | E ONL | Y AS A CLASS OF CERTIFIED | | |
| SEED? (See Section 83(a) of the Plant Variety Pro | | Yes (If "Yes," answer | items 1 | 6 and 17 below) No | | |
| 6. DOES THE APPLICANT(S) SPECIFY THAT THIS LIMITED AS TO NUMBER OF GENERATIONS? | VARIETY BE | 17. IF "YES" TO ITEM 16, N BEYOND BREEDER SEE | | CLASSES OF PRODUCTION | | |
| X Yes No B. DID THE APPLICANT(S) FILE FOR PROTECTION | N OF THE VARIE | Foundation | | egistered X Certified | | |
| | in or the vange | TT IN THE 0.3. ON OTHER COO | | Yes (If "Yes," give names of countries and dates) | | |
| | | | | X No | | |
| . HAVE RIGHTS BEEN GRANTED IN THE U.S. OF | R OTHER COUNTI | RIES? | | <u> </u> | | |
| | | | | Yes (If "Yes," give names of countries and dates) | | |
| | | | | X No | | |
| The applicant(s) declare(s) that a viable sample plenished upon request in accordance with suc | e of basic seeds o ch regulations as | of this variety will be furnished may be applicable. | with t | he application and will be re- | | |
| The undersigned applicant(s) is (are) the owner distinct, uniform, and stable as required in Section Act. | r(s) of this sexua | lly reproduced novel plant var | iety, 21 provis | nd believe(s) that the variety is sions of Section 42 of the Plant | | |
| Applicant(s) is (are) informed that false repres | entation herein o | an jeopardize protection and r | esult i | n penalties. | | |
| GNATURE OF APPLICANT | C // | | DA | 2/27/01/ | | |
| SNATURE OF APPLICANT | verd/)_ | · · · · · · · · · · · · · · · · · · · | | 5/21/87 | | |
|) | | | DA | TE / 1 | | |

FORM LMGS-470 (9-81) (Edition of 1-78 is obsolete)

EXHIBIT A: Origin and Breeding History of Variety

8400077

Coker 425 Soybeans

| YEAR | GENERATION | ACTIVITY |
|------|-----------------|--|
| 1972 | | Original cross made Co69-119 x Essex |
| 1973 | F ₁ | Row 37, grown at Hartsville, SC |
| 1974 | F_2 | Rows 161-168, harvested in bulk, Hartsville, SC |
| 1975 | F ₃ | Rows 161-168, harvested in bulk, Hartsville, SC |
| 1976 | F ₄ | Rows 161-168, early maturing plants selected, Hartsville, SC |
| 1977 | F ₅ | Plant row 2566. Plants selcted, Richland, IN |
| 1978 | F ₆ | Plant row 3381. Richland, IN |
| 1979 | F ₇ | Replicated yield testing. Assigned breeding number 79-5, later changed to 79R-5 to denote Richland location. |
| 1980 | F ₈ | Further yield testing, Richland, IN |
| 1981 | F9 | Further yield testing. Richland, IN, Hickman, KY. |
| 1982 | F ₁₀ | Further yield testing, experiment station testing. Breeder seed produced - Hartsville, SC |
| 1983 | F ₁₁ | Foundation and Registered seed produced - Virginia Named Coker 425 |
| 1984 | F12 | Registered seed sold. |

Variants: As many as 0.5% phenotypically gray hila.

Evidence of stability: After observing plants and seed for 5 generations since the line was isolated, plant and seed characters have been uniform.

EXHIBIT B: Novelty Statement Coker 425 Soybean

Coker 425 most resembles the cultivar Essex.

Coker 425 is different from Essex in that Coker 425 has tawny pubescence and black hila whereas Essex has gray pubescence and buff hila.

Coker 425 also differs from Essex in seed size. Coker 425 averages 12.2g/100 seed whereas Essex averages 10.0g/100 seed.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

| 3010 | ZATT (Gryenie max 25 | | |
|---|---|--|---|
| NAME OF APPLICANT(S) | TEMPORARY DESIGNATIO | N VARIETY NAME | |
| CR Seeds | 79R-5 | Coker 425 | |
| ADDRESS (Street and No., or R.F.D. No., City, State, and Zip C | Code) | FOR OFFIC | IAL USE ONLY |
| | | ł | |
| P.O. Box 1867 Hartsville, S.C | | 84000 | |
| Choose the appropriate response which characterizes the in your answer is fewer than the number of boxes provide | variety in the features describe ed, place a zero in the first box | ed below. When the numer when number is 9 or les | nber of significant digits ss (e.g., 0 9). |
| 1. SEED SHAPE: | <u>n</u> | | |
| | | | |
| -1 | W T | ed (L/W ratio > 1.2; L/T ra | tio = < 1.2) |
| 1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2) | 4 = Elongate Flattene | ed (L/T ratio > 1.2; T/W > | 1.2) |
| 2. SEED COAT COLOR: (Mature Seed) | | | |
| 1 1 = Yellow 2 = Green 3 = Brown | 4 = Black 5 = Oth | er (Specify) | |
| 3. SEED COAT LUSTER: (Mature Hand Shelled Seed) | | | |
| 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Ne | bsoy'; 'Gasoy 17') | · | |
| 4. SEED SIZE: (Mature Seed) | | | |
| 1 2 Grams per 100 seeds | | | |
| 5. HILUM COLOR: (Mature Seed) | | | |
| 6 1 = Buff 2 = Yellow 3 = Brown | 4 = Gray 5 = Imperfect | Black 6 = Black | 7 = Other (Specify) |
| 6. COTYLEDON COLOR: (Mature Seed) | | | |
| 1 = Yellow 2 = Green | | | |
| 7. SEED PROTEIN PEROXIDASE ACTIVITY: | | | - , |
| 1 = Low 2 = High | • | · | · · · · · · · · · · · · · · · · · · · |
| 8. SEED PROTEIN ELECTROPHORETIC BAND: | | | • |
| 1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b) | | | _ |
| 9. HYPOCOTYL COLOR: | | | |
| 1 = Green only ('Evans'; 'Davis') 2 = Green v 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71 4 = Dark Purple extending to unifoliate leaves ('Hodgson') | | s ('Woodworth'; 'Tracy') | |
| IO. LEAFLET SHAPE: | | | • • |
| 1 = Lanceolate 2 = Oval 3 = Oval | te 4 = Other (Specify) | | |

| 11. LEA | FLET SIZE: | | | |
|----------|--|---|-----------------|----|
| 1 | 1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy') | 2 = Medium ('Corsoy 79'; 'Gasoy 17') | | |
| 12. LEAI | COLOR: | | | |
| 3 | 1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy') | 2 = Medium Green ('Corsoy 79'; 'Braxton') | | |
| 13. FLO\ | NER COLOR: | | | |
| 2 | 1 = White 2 = Purple | 3 = White with purple throat | | |
| 14. POD | COLOR: | | | |
| 1 | 1 = Tan 2 = Brown | 3 = Black | • | |
| 15. PLAN | IT PUBESCENCE COLOR: | | | |
| 2 | 1 = Gray 2 = Brown (Tawny) | | | |
| 16. PLAN | IT TYPES: | | | |
| | 1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan') | 2 = Intermediate ('Amcor'; 'Braxton') | | |
| 17. PLAN | IT HABIT: | | | |
| 1 | 1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved Pe | 2 = Semi-Determinate ('Will') elican') | | |
| 18. MAT | JRITY GROUP: | | | |
| 0 8 | 1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VII | • | = IV 8 = V | ٠. |
| 19. DISE | ASE REACTION: (Enter 0 = Not Tested; 1 = | Susceptible; 2 = Resistant) | | - |
| BAC | TERIAL DISEASES: | | | |
| 2 | Bacterial Pustule (Xanthomonas phaseoli v | ar. sojensis) | | |
| | Bacterial Blight (Pseudomonas glycinea) | | | |
| | Wildfire (Pseudomonas tabaci) | | | |
| ELINO | AL DISEASES: | | | |
| Го | Brown Spot (Septoria glycines) | | | : |
| [0 | • | | | |
| ٥ | Frogeye Leaf Spot (Cercospora sojina) Race 1 Race 2 Race 2 | ace 3 0 Race 4 0 Race 5 | Other (Specify) | |
| 0 | Target Spot (Corynespora cassiicola) | | | _ |
| 0 | Downy Mildew (Peronospora trifoliorum va | ar. manshurica) | | |
| 6 | Powdery Mildew (Microsphaera diffusa) | | | |
| 0 | Brown Stern Rot (Cephalosporium gregatum | ก) | | |
| 0 | Stem Canker <i>(Diaporthe phaseolorum</i> var. o | caulivora) | · • | _ |

| 19. DISEASE REA | CTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 | = Resistant) (Continued) | |
|--|---|--------------------------|--|
| FUNGAL D | SEASES: (Continued) | | in the second se |
| 0 Pod a | nd Stem Blight <i>(Diaporthe phaseolorum</i> var; <i>sojae)</i> | | |
| 0 Purple | Seed Stain (Cercospora kikuchii) | e. | |
| 0 Rhizo | ctonia Root Rot (Rhizoctonia solani) | | |
| Phyto | phthora Rot <i>(Phytophthora megasperma</i> var. <i>sojae)</i> | | |
| 1 Race | 0 Race 2 0 Race 3 0 | Race 4 0 Race 5 | 0 Race 6 0 Race 7 |
| 0 Race 8 | O Race 9 Other (Specify) | | |
| VIRAL DISE | ASES: | | • |
| 0 Bud B | ight (Tobacco Ringspot Virus) | | |
| 0 Yellow | Mosaic (Bean Yellow Mosaic Virus) | | |
| 0 Cowpe | a Mosaic (Cowpea Chlorotic Virus) | | |
| 0 Pod Me | ottle (Bean Pod Mottle Virus) | | |
| O Seed M | ottle (Soybean Mosaic Virus) | | |
| NEMATODE | | | |
| • | n Cyst Nematode (Heterodera glycines) | | |
| 0 Race 1 | 0 Race 2 1 Race 3 | Race 4 0 Other (S | pecify) |
| 0 Lance I | Nematode (Hopiolaimus Colombus) | | |
| 0 Southe | n Root Knot Nematode (Meloidogyne incognita) | | |
| Northe | п Root Knot Nematode (<i>Meloidogyne Hapla)</i> | | |
| | Root Knot Nematode (Meloidogyne arenaria) | | |
| | m Nematode (Rotylenchulus reniformis) | | |
| ت ــــــــــــــــــــــــــــــــــــ | DISEASE NOT ON FORM (Specify): | | |
| ٠٠٠٠٠٠٠ ا | | | |
| O. PHYSIOLOGICA | L RESPONSES: (Enter 0 = Not Tested; 1 = Susce | ptible; 2 = Resistant) | |
| 0 Iron Chi | orosis on Calcareous Soil | | |
| O Other (S | pecify) | | |
| 1. INSECT REACTI | ON: (Enter 0 = Not Tested; 1 = Susceptible; 2 = F | Resistant) | |
| 0 Mexican | Bean Beetle (Epilachna varivestis) | | |
| 0 Potato L | eaf Hopper <i>(Empoasca fabae)</i> | | |
| | pecify) | | |
| | H VARIETY MOST CLOSELY RESEMBLES THA | AT SURMITTED | |
| CHARACTER | NAME OF VARIETY | CHARACTER | NAME OF VARIETY |
| Plant Shape | Essex | Seed Coat Luster | Essex . |
| Leaf Shape | Essex | Seed Size | Essex |
| Leaf Color | Essex | Seed Shape | Essex |
| Leaf Size | Essex | Seedling Pigmentation | Eşsex |
| - 14 | | 1 | |

SANNA.

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

| VARIETY | NO. OF PLANT LODGING MATURITY SCORE | CM PLANT | LEAFLET SIZE | | SEED CONTENT | | SEED SIZE G/100 | NO. SEEDS/ | |
|--------------------------|-------------------------------------|-------------|--------------|----------|--------------|-----------|--------------------|---------------|-----|
| | | SCORE | HEIGHT | CM Width | CM Length | % Protein | % Oii | SEEDS | POD |
| | [· | · | | | | | | | |
| Submitted Coker 425 | | - | | - | | | | 12.2 | - |
| Name of | | | | | | | | | |
| Similar Variety Essex | | | | · | | | | 10.0 | · |

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

EXHIBIT D: Additional Description of Variety

Coker 425 Soybean

Analyses performed at the Federal Seed Laboratory in Beltsville, MD indicate that Coker 425 has the following additional characteristics:

seed coat peroxidase activity: 100%-

seed urease: 28% fast, 72% slow

seedling pubescence angle: erect